



Application for Fire Training

Louisville Metro Air Pollution Control District

Subject to Regulation 1.11, § 2.1.7

Please fax or mail application to APCD at least 5 working days prior to burn.

District approval will be faxed or mailed to applicant.

(For multiple dates please attach additional sheet.)

Date of Application: _____ Date of Event: _____ Rain Date: _____

Start Time of Burn: _____ am pm End Time of Burn: _____ am pm

Type of Burn: Building: _____ Container: _____ Other: _____ Explain: _____

Name of Applicant: _____ Name of Organization: _____

Applicant Address: _____ Location of Fire Training (Address): _____

City State Zip City State Zip

Phone Number of Applicant: _____ Fax Number: _____

Phone Number at Location: _____ Additional Information: _____

The Air Pollution Control District may issue a Notice of Violation for burns that are not approved.

Requirements for Fire Training Burns:

- Buildings to be burnt for training purposes must have an asbestos survey and must have all asbestos and asphalt roofing materials removed prior to burning. All Federal, State and Local regulations must be adhered to when handling asbestos. Please include a copy of survey with this application.
- Fires shall be constantly attended by a competent person until fire is extinguished.
- Appropriate equipment and water supply must be readily available for use.
- If it is an "Air Quality Alert" (Ozone Action Day) or the winds exceed 15 mph, the burn may not take place. Call 574-3319 to verify Air Quality status prior to burning.**
- Fire training exercises between May 1 and September 30 that are not conducted by the Louisville Metro Fire Department or a suburban fire protection district must be approved by the State Fire Marshal, the Kentucky Fire Commission, the Louisville Metro Fire Department or suburban fire protection district with jurisdiction, or be conducted in accordance with standards adopted by the National Wildfire Coordinating Group. A copy of the approval or standards under which the training will be conducted shall be attached to this application.
- A copy of this form signed by the Air Pollution Control District must be kept at the site of the burn or a Notice of Violation may be issued.

I agree to follow the requirements listed above. _____
Signature of Applicant

Staff: _____ Title: _____ Phone#: _____
Air Pollution Control District

Special Instructions for Applicant: _____

Office Use Only

Approved _____ Denied _____

Faxed to applicant on _____ (date)

Mailed to applicant on _____ (date)

Faxed to fire dept. on _____ (date)

Mailed to fire dept. on _____ (date)

Air Pollution Control District
701 W. Ormsby Ave., Suite 303
Louisville, KY 40203
Phone: 574-6000 Fax: 574-5607