ASA Non-Approved Bat List with ASA Certification Mark

March 20, 2013

This list depicts the previously ASA certified bats that failed an ASA sponsored field audit and that also carry the 2000 or 2004 ASA Certification Mark. This list is intended for informational purposes only.

Manufacturer	Bat Name
Combat	VIRSP3 Lady Virus

Easton	SCX2 Synergy

Easton	SCX22 Synergy 2

Louisville Slugger	FP136

Louisville Slugger	FP1368

Louisville Slugger	FP1369

Louisville Slugger	FPC305 Catalyst (-8)

ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Louisville Slugger	SB304

Louisville Slugger	SB34 Genesis

Louisville Slugger	SB404

Louisville Slugger	SB73V TPS Voltage

Miken	MSF Freak

Miken	Ultra

Miken	Ultra II

Miken	Ultra Maxload

ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Nokona	Tomahawk

Manufacturer	Bat Name
Schutt	Red/Silver Schutt Bat

Manufacturer	Bat Name
Worth	EST9

Manufacturer	Bat Name
Worth	QESTFP

Manufacturer	Bat Name
Worth	SBWK(Wicked)

Manufacturer	Bat Name
Worth	SBWKA

Manufacturer	Bat Name
Worth	WWSC Wicked Comp. (SP Only)

Manufacturer	Bat Name
Worth	WWSCA

ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Worth	XEST9X

Manufacturer	Bat Name
Worth	XGold



Manufacturer	Bat Name
Worth	XPST4

Manufacturer	Bat Name
Worth	XRed

Manufacturer	Bat Name
Worth	XWICKX Wicked (SP Only)

For a complete list of approved bats go to the certified equipment section of www.asasoftball.com
Last Updated: March 4, 2013